

السادة أعضاء جمعية رجال الأعمال المصريين الأفارقة المحترمين

تحية طيبة وبعد،،

استكمالاً للجهود والأنشطة المعمول بها والعلاقات المتميزة التي تربط جمعية رجال الأعمال المصريين الأفارقة بشركائها الاستراتيجيين، والذي تحرص فيه بعض الجهات الخارجية على التعاون مع الجمعية وأعضائها، فقد ورد إلينا دعوة من سفارة بيلاروسيا في مصر أن تقدم لكم شركة JSC EKZON وهي شركة دوائية بيلاروسية حديثة ومتطورة ، بدأت شركة "إكزون" المساهمة نشاطها في عام 1995، وكان أول منتج تصنعه هو الهيماتوغين. ومع التطوير المستمر لعملياتها، ارتفع حجم إنتاج هذا المنتج الغذائي الصحي إلى 21 مليون قطعة سنوياً، مع الحفاظ على الجودة العالية والمذاق المتميز ، على مدار 30 عامًا من العمل في السوق الدوائية، حددت الشركة ثلاثة مجالات رئيسية لنشاطها: إنتاج الأدوية، والمكملات الغذائية، والمنتجات الغذائية. وبفضل تطوير خطها الثالث المتعلق بإنتاج الأغذية المتخصصة، أصبحت "إكزون" الشركة الدوائية الوحيدة في بيلاروسيا التي تعمل في قطاع السلع الاستهلاكية السريعة التداول ، وتضم الشركة أربع وحدات إنتاج رئيسية: وحدة لإنتاج الهيماتوغين -وحدة لإنتاج الشراب-وحدة لإنتاج الأقراص-وحدة لإنتاج المساحيق والحبيبات .

مرفق المنشور


وتفضلوا بقبول فائق الاحترام،

رئيس مجلس إدارة جمعية
رجال الأعمال المصريين الأفارقة


د/ يسري الشراوي

جمعية رجال الأعمال المصريين الأفارقة
مشهرة برقم ٦٧٧٩ لسنة ٢٠٢٠
Egyptian African Businessmen's Association
6779/2020

الأمين العام لجمعية
رجال الأعمال المصريين الأفارقة


م / مصطفى الامير

PRODUCTS OF EKZON OJSC

EKZON

For over 27 years in the market

WE PRODUCE

More than 100 items of medicinal products, dietary supplements and foods.

MEDICINAL PRODUCTS


- Hematogen
- Syrups
- Tablets
- Powders and granules
- Capsules
- Other medicinal products

DIETARY SUPPLEMENT

- Hematogen
- Syrups
- Vitamin complexes

SPECIALIZED FOOD

- Hematogen
- Syrups



CERTIFICATES OF CONFORMITY

CERTIFICATE OF CONFORMITY OHSAS FOR CONFORMITY TO STB 18001-2009

CERTIFICATE OF CONFORMITY QUALITY MANAGEMENT SYSTEMS FOR CONFORMITY TO STB ISO 9001-2015

CERTIFICATE OF CONFORMITY HEMATOGEN AND SYRUPS PRODUCTION FOR CONFORMITY TO THE REGULATION No. 852 OF THE EUROPEAN PARLIAMENT

NATIONAL CERTIFICATE OF CONFORMITY OF PRODUCTION OF MEDICINES FOR CONFORMITY TO TKP 030-2017 (GMP)

INTERNATIONAL CERTIFICATE FOR FOOD SAFETY MANAGEMENT SYSTEM ACCORDING TO THE REQUIREMENTS OF ISO 22000:2018

CERTIFICATE OF CONFORMITY OF HACCP SYSTEM FOR CONFORMITY TO STB 1470-2012

CERTIFICATE OF ACCREDITATION OF INDUSTRIAL AND TECHNICAL LABORATORY OF QUALITY ASSURANCE AND CONTROL MANAGEMENT

EA

HEMATOGEN

DIETARY SUPPLEMENT

CONTENTS

sugar, whole condensed milk with sugar, starch caramel syrup, black food albumin, flavoring additives depending on the type (vanilla, nuts, dried fruits, candied fruits, vitamins, minerals, confectionery glaze).

RECOMMENDATIONS FOR USE:

- For adults and children as a general tonic.
- As an additional source of iron.

ADVANTAGES OF OUR HEMATOGEN:

- We have retained the production technology and the contents of Hematogen from the USSR. It only contains natural components.
- No artificial additives and coloring agents.
- Wide range of flavors.
- Is a source of substances valuable to the body.
- Useful for elevating hemoglobin levels and anemia prevention.
- An additional source of vitamins and minerals.

SHELF LIFE: 3 YEARS

For children from the age of 3



ENERGOVIT

DIETARY SUPPLEMENT

RECOMMENDATIONS FOR USE:

- For adults and children as an additional source of vitamin C;
- For enriching sportsman diets.
- For restoring energy after physical strain.
- For strengthening the immune system.
- As an additional source of the vitamin C.
- No artificial additives and coloring agents.

CONTENTS:

- sugar, whole condensed milk with sugar, caramel starch syrup, flavorings depending on the type (nuts, dried fruits, candied fruits, coconut flakes, cocoa powder), ascorbic acid.

SHELF LIFE: 2 YEARS

For children from the age of 3



EKZON

NEW

HEMATOGESHKA

CONFECTION

For children from the age of 3


RECOMMENDATIONS FOR USE:

- For elevating hemoglobin levels and anemia prevention.
- For strengthening the immune system.
- As an additional source of iron.
- No artificial additives and coloring agents.

CONTENTS:

- sugar, whole condensed milk with sugar, starch caramel syrup, black food albumin, flavoring additives depending on the type (confectionery glaze with a cocoa butter substitute, coconut flakes).

SHELF LIFE: 18 MONTHS



EKZON

HEMATOGESHA

SPECIALIZED FOOD


RECOMMENDATIONS FOR USE:

- Allowed for sale both in drugstores and chain stores as a food
- Made from natural products
- Does not contain coloring agents and artificial additives
- Stimulates elevation of hemoglobin levels and anemia prevention;
- For strengthening of the immune system;
- As an additional food source for children in children's institutions;
- Additional source of iron;
- Additional source of vitamin C (Hematogeshka Shkolny).
- No artificial additives and coloring agents.

CONTENTS:

- sugar, whole condensed milk with sugar, starch caramel syrup, black food albumin, flavoring additives depending on the type (confectionery glaze with a cocoa butter substitute, coconut flakes).

SHELF LIFE: 18 MONTHS



For children from the age of 3



Rosehip syrup with rowan (250 ML., 1,4 l.)

SPECIALIZED FOOD

RECOMMENDATIONS FOR USE:

- Used as a general tonic during cold-related diseases, tiredness, intensive mental and physical exercise.
- No artificial additives and coloring agents.

CONTENTS FOR 100 G:

- Rosehip
- Rowan
- Citric acid
- Sanding sugar
- Potable water

SHELF LIFE:

- 250 ML - 3 YEARS
- 1,4 l - 2 YEARS



EKZON

DIETARY SUPPLEMENTS

HAWTHORN SYRUP WITH FRUCTOSE, 200 ML

- has general tonic effect on the body,
- additional vitamin C source.
- No artificial additives and coloring agents.

RECOMMENDATIONS FOR USE:

Helps maintain body functions of:

- cardiovascular system;
- metabolism;
- overcoming fatigue and stress;
- sleep recovery.

CONTENTS:

- Fructose, hawthorn extract, acidity regulator citric acid, ascorbic acid (vitamin C), preservative potassium sorbate, water.

SHELF LIFE: 2 YEARS

For children from the age of 14



ROSEHIP SYRUP WITH FRUCTOSE, 200 ML

- has general tonic effect on the body
- additional vitamin C source.
- No artificial additives and coloring agents.

RECOMMENDATIONS FOR USE:

Helps maintain body functions of :

- immune system;
- metabolism;
- adaptive properties of the body under elevated mental and physical strain

CONTENTS:

- Fructose, rosehip extract, rowan extract, ascorbic acid (vitamin C), water.

SHELF LIFE: 2 YEARS

For children from the age of 14



Usable by diabetics

EKZON

DIETARY SUPPLEMENTS

BLUEBERRY SYRUP WITH FRUCTOSE, 200 ML

- has general tonic effect on the body
- additional vitamin C source.
- No artificial additives and coloring agents.



RECOMMENDATIONS FOR USE:

Helps maintain body functions of :

- visual organ (for chronic eye fatigue, working with a computer, etc.); gastrointestinal tract;
- immune system;
- metabolism;
- adaptive properties of the body under elevated mental and physical strain

CONTENTS:

- Fructose, blueberry extract, ascorbic acid (Vitamin C).

SHELF LIFE: 2 YEARS

For
children
from the
age of 3

CRANBERRY SYRUP WITH FRUCTOSE, 200 ML

- has general tonic effect on the body
- additional vitamin C source.
- No artificial additives and coloring agents.



RECOMMENDATIONS FOR USE:

Helps maintain body functions of :

- gastrointestinal tract
- adaptive properties of the body during cold-related diseases, tiredness, intensive mental strain;

CONTENTS:

- Fructose, cranberry extract, ascorbic acid (Vitamin C)

SHELF LIFE: 2 YEARS

For
children
from the
age of 14

Usable by diabetics

EKZON

DIETARY SUPPLEMENTS

ROSEHIP SYRUP, 200 ML

- has general tonic effect on the body after cold-related diseases, tiredness, intense mental strain;
- additional vitamin C source.
- No artificial additives and coloring agents.

CONTENTS:

- Sugar, rosehip extract, ascorbic acid (vitamin C), acidity regulator citric acid

SHELF LIFE: 2 YEARS

For
children
from the
age of 3



EKZON

VITAMIN C POWDER, 0,8 G

DIETARY SUPPLEMENT

RECOMMENDATIONS FOR USE:

As an additional vitamin C source:

- stimulates defensive functions of the body;
- to meet the body's increased need for vitamin C;
- during intense physical and mental strain.
- strengthening of the immune system;
- in case of frequent cold-related diseases.

CONTENTS:

- Ascorbic acid (Vitamin C) – 0.8 g

PACKAGE:

- 0.8 g in packets in the package No. 20 and No. 30

SHELF LIFE: 3 YEARS



For children from the age of 3

EKZON

NEW

Vitamin C, tablets 3g No. 10

Dietary supplement

RECOMMENDATIONS FOR USE:

- Recommended as an additional source of vitamin C
- strengthening of the immune system;
- in case of frequent cold-related diseases.
- helps to maintain the body's protective functions;

1 tablet contains 25mg of ascorbic acid (Vitamin C).

CONTENTS:

- sugar,
- glycose monohydrate,
- potato starch,
- anti-caking agent calcium stearate,
- ascorbic acid,
- natural lemon flavoring (or raspberry, or strawberry, or black currant, or kiwi, or tropical).

SHELF LIFE: 18 MONTHS



For children from the age of 3

EKZON

NEW

Vitamin C, tablets 3g No. 20

DIETARY SUPPLEMENT

RECOMMENDATIONS FOR USE:

- Recommended as an additional source of vitamin C
- strengthening of the immune system;
- in case of frequent cold-related diseases.
- helps to maintain the body's protective functions;

1 tablet contains 25mg of ascorbic acid (Vitamin C).

CONTENTS:

- sugar,
- glycose monohydrate,
- potato starch,
- anti-caking agent calcium stearate,
- ascorbic acid,
- natural lemon flavoring (or raspberry, or strawberry, or black currant, or kiwi, or tropical).

SHELF LIFE: 18 MONTHS



For
children
from the
age of 3

EKZON

NEW

TRAVOPASIN, capsules No. 30

DIETARY SUPPLEMENT

- Calms and reduces anxiety, relieves nervous tension.
- Increases mental concentration, memory, cognition.
- Sedative effect
- Hypnotic action
- Reduces symptoms of neurosis, hysteria, chronic stress
- antioxidant

RECOMMENDATIONS FOR USE:

- to maintain nervous system functions
- additional source of flavonoids and hydroxycinnamic acids.

CONTENTS:

- melissa extract dry,
- mint extract dry,
- hard gelatinous capsule,
- carrier microcrystalline cellulose,
- motherwort extract dry,
- anti-caking agent talc,
- anti-caking agent stearate.

INSTRUCTIONS FOR USE:

Adults take 4 capsules daily: 2 capsules 2 times a day (morning and evening) during meals, wash down with a sufficient amount of water во время еды.

SHELF LIFE: 2 YEARS



18+

EKZON

NEW

MENTOSIL, LOZENGES 2.5 G No. 16

DIETARY SUPPLEMENT

SUGAR-FREE

RECOMMENDATIONS FOR USE:

- as an additional menthol source;
- helps reduce the risk of developing respiratory diseases;
- relieves sore throat and cough;
- contains essential oils and glycyrrhizic acid;
- as a means for complex therapy of respiratory tract diseases.

CONTENTS:

sweeteners: maltitol and isomaltitol, emblica extract (*Emblica officinalis*), ginger extract (*Zingiber officinale*), licorice extract (*Glycyrrhiza glabra*), orange flavor (or mint or lemon or raspberry), peppermint extract longleaf (*Mentha sylvestris*), propylene glycol (carrier), potassium sorbate (preservative), citric acid (acidity regulator), colors, aspartame (sweetener).

One lozenge contains:

mint extract (<i>Mentha sylvestris</i>)	7.0 MG
licorice extract (<i>Glycyrrhiza glabra</i>)	10.0 MG
ginger extract (<i>Zingiber officinale</i>)	12.0 MG
emblica extract (<i>Emblica officinalis</i>)	16.0 MG

For adults, dissolve 1-2 lozenges 3-4 times a day immediately after meals.

SHELF LIFE: 2 YEARS



NEW

STOP-ISZHOG, tablets

DIETARY SUPPLEMENT

RECOMMENDATIONS FOR USE:

- In case of heartburn and acid reflux
- As an additional source of calcium and magnesium.
- to maintain stomach functions

CONTENTS:

- calcium carbonate
- sugar
- magnesium carbonate basic
- anti-caking agent talc
- potato starch
- anti-caking agent calcium stearate
- natural flavoring.

Adults and children over 12 years old: 1 tablet 3-4 times a day, chew or keep in mouth until completely dissolved.

SHELF LIFE: 3 YEARS

For
children
from the
age of 12



EKZON

НОВИНКА

LORIVIT, lozenges

DIETARY SUPPLEMENT

COMPOSITION OF FLAVONOIDS, FLAVONS, FLAVONOLS AND ESSENTIAL AMINO ACIDS.

RECOMMENDATIONS FOR USE:

- to maintain the function of the upper respiratory tract.
- has antioxidant, immunostimulating and antispasmodic effects.
- has general tonic effect.
- increases the body's resistance to infections.

CONTENTS:

- With sage: Sugar, propolis, vitamin C, thick sage extract, citric acid (acidity regulator), calcium stearate (anti-caking agent).
- With mint and eucalyptus : Sugar, propolis, vitamin C, citric acid (acidity regulator), calcium stearate (anti-caking agent), thick eucalyptus extract, thick peppermint extract.

Adults: 2 tablets 3-4 times a day. Cycle: 5-6 days.

SHELF LIFE: 3 YEARS



EKZON

MEDICINAL PRODUCTS



Plantain syrup with vitamin C, 200 mL

Recommendations for use:

As part of combination therapy in upper respiratory tract inflammatory diseases with cough. Administration for the above indications is based on long use experience only.

SHELF-LIFE: 18 months



Thyme syrup with vitamin C, 200 mL

Recommendations for use:

As an expectorant as part of combination therapy in acute respiratory diseases. These indications are based on long use experience only and have not been supported by clinical trials.

SHELF-LIFE: 18 months



Marshmallow syrup, 200 mL

Recommendations for use:

As part of combination therapy in respiratory tract infectious inflammatory diseases (pharyngitis, laryngitis, tracheitis, bronchitis) with cough.

SHELF-LIFE: 2 YEARS



Rosavit syrup, 200 mL

Recommendations for use:

Prevention of vitamin C hypovitaminosis. Increased vitamin C demand during a convalescence period after infections and common cold.

SHELF-LIFE: 18 months



Inula syrup with vitamin C, 200 mL

Recommendations for use:

As an expectorant as part of combination therapy in respiratory tract infectious inflammatory diseases.

SHELF-LIFE: 18 months

EKZON



Smektit E

MEDICINAL PRODUCT

Available over-the-counter

Shelf life: 3 years

RECOMMENDATIONS FOR USE:

Dissolve the contents of the sachet in water to prepare suspension before use.

It is preferably to use the medicinal product:

- after meals in case of esophagitis
- between meals in case of other indications

INDICATIONS:

- Children of 2 years and over:
 - Symptomatic treatment of acute diarrhoea as part of combination therapy with oral rehydration solution.
- Adults:
 - Symptomatic treatment of acute diarrhoea in adults as part of combination therapy with oral rehydration solution.
 - Symptomatic treatment of chronic diarrhoea.
 - Symptomatic treatment of abdominal pain due to esophagogastroduodenal and intestinal diseases.

PACKAGE:

- 3.76 g of the medicinal product in polypropylene film sachets or composite sachets.
- 10 sachets in the box together with the leaflet.



EKZON



Acecezon (200 mg, 100 mg)

MEDICINAL PRODUCT

Available without a prescription

Shelf-life: 2 years

RECOMMENDATIONS FOR USE:

It is administered orally after meals. Dissolve the contents of 1 sachet in 1/2 glass (about 100 mL) of water, juice or cold tea immediately before use. In acute non-complicated conditions, the medicinal product can be used without medical supervision for not more than 4-5 days.

INDICATIONS:

- Treatment of acute and chronic bronchopulmonary system diseases when sputum viscosity needs to be decreased and expectoration needs to be improved.
- Prevention of distal intestinal obstructive syndrome in mucoviscidosis.

PACKAGE:

- 3 g in sachets in package No. 20.



EKZON



Acecezon 600 (600 mg)

Available without a prescription

Shelf-life: 2 years

MEDICINAL PRODUCT

RECOMMENDATIONS FOR USE:


It is administered orally after meals. Dissolve the contents of 1 sachet in $\frac{1}{2}$ glass (about 100 mL) of water, juice or cold tea immediately before use. In acute non-complicated conditions, the medicinal product can be used without medical supervision for not more than 4-5 days.

INDICATIONS:

- Treatment of acute and chronic bronchopulmonary system diseases when sputum viscosity needs to be decreased and expectoration needs to be improved.
- Prevention of distal intestinal obstructive syndrome in mucoviscidosis.

PACKAGE:

- 3 g in sachets in package No. 10.


EKZON

Glucose powder

MEDICINAL PRODUCT

Available without a prescription
Shelf-life: 2 years

INGREDIENTS:



- glucose monohydrate - 15.00 g
- excipients

INDICATIONS:

- The oral glucose tolerance test should be used when blood glucose levels do not allow determining a diagnosis of impaired glucose tolerance or diabetes.

PACKAGE:

- 15.15 g of powder in sachets, 5 sachets in a box.


EKZON

Angricold

MEDICINAL PRODUCT

Available over-the-counter

Shelf-life: 3 years



MODE OF ADMINISTRATION:

- For oral administration. Empty out the contents of 1 sachet into a glass, add hot water and stir to dissolve.


INDICATIONS:

- Acute treatment of common cold, rhinitis, rhinopharyngitis and flu-like conditions in adults and children of 12 and over with:
 - clear nasal discharge and tearing;
 - sneezing;
 - headache and/or fever.

PACKAGE:

- 5.0 g in composite sachets in package No. 10 together with the leaflet, which are packed in a secondary package (a cardboard box).

EKZON



Ascorbic acid (Vitamin C) powder, 1000 mg.

MEDICINAL PRODUCT

Available over-the-counter

Shelf-life: 2 years

INDICATIONS:

- Prevention and treatment of vitamin C hypovitaminosis and avitaminosis.
- It is recommended during a convalescence period after serious diseases, fever associated with acute respiratory diseases, as part of combination therapy in haemorrhagic diathesis, bleedings, sluggish wounds and bone fractures.

PACKAGE:

- 1000 mg in sachets in package No. 20.



Vitamin C powder, 0.8 g. No. 10,20,30

DIETARY SUPPLEMENT

Shelf-life: 2 years

RECOMMENDATIONS FOR USE:

- As a supplementary source of vitamin C:
 - helps to maintain body barrier functions;
 - satisfy increased vitamin C demand;
 - in intense mental loads and physical activities.

PACKAGE:


- 0.8 g in sachets in package No. 20 and No. 30

EKZON



Ascorbic acid (Vitamin C) tablets, 25 mg No. 10,20

MEDICINAL PRODUCT
Available over-the-counter
Shelf-life: 18 months



RECOMMENDATIONS FOR USE:

- The tablets are administered orally after meals, need to be chewed.
- A treatment course is determined by the physician according to the nature of disease and efficiency of the therapy. Maximum daily dose of ascorbic acid for adults - 900 mg.


INDICATIONS:

- Prevention and treatment of vitamin C avitaminosis.
- Increased ascorbic acid demand: Period of intensive growth, unbalanced diet, increased mental loads and physical activities, a convalescence period after serious diseases, fever associated with acute respiratory diseases, acute viral respiratory infections, long-standing chronic infections.

PACKAGE:

- 10 tablets in a plastic package; 4 blisters together with the leaflet in a cardboard box.

EKZON



Ascorbic acid with glucose 200 mg. Tablets No.15

MEDICINAL PRODUCT
Available over-the-counter
Shelf-life: 18 months

INDICATIONS:

- Prevention and treatment of vitamin C avitaminosis.
- Increased ascorbic acid demand: Period of intensive growth, unbalanced diet, increased mental loads and physical activities, a convalescence period after serious diseases, fever associated with acute respiratory diseases, acute viral respiratory infections, long-standing chronic infections.



Ascorbic acid with glucose 50 mg. Tablets No.10

MEDICINAL PRODUCT
Available over-the-counter
Shelf-life: 18 months

INDICATIONS:


- Prevention and treatment of vitamin C avitaminosis.
- Increased ascorbic acid demand: Period of intensive growth, unbalanced diet, increased mental loads and physical activities, a convalescence period after serious diseases, fever associated with acute respiratory diseases, acute viral respiratory infections, long-standing chronic infections.

PACKAGE:

- 10 tablets in a strip package.



EKZON



Glucose tablets (assorted)

MEDICINAL PRODUCT
Available over-the-counter
Shelf-life: 3 years

RECOMMENDATIONS FOR USE:

- It is administered orally, 1/2 - 1 tablet (1000 - 2000 mg) daily.

INDICATIONS:

- Hypoglycaemia.

PACKAGE:

- 15 tablets in a plastic package.

EKZON



Renikzon

MEDICINAL PRODUCT
Available over-the-counter
Shelf-life: 3 years

MODE OF ADMINISTRATION:

- Adults and children over 12 years:

INDICATIONS:


- Symptoms associated with hyperacidity of gastric fluid: heartburn, eructation, intermittent stomach ache, digestive disorder, dyspepsia (feeling of fullness or heaviness in the upper abdomen, nausea).

PACKAGE:

- 12 chewable tablets in a blister made of PVC film and aluminium foil.




EKZON



Essel forte E

MEDICINAL PRODUCT
Available over-the-counter
Shelf-life: 3 years



MODE OF ADMINISTRATION:

Each capsule contains:
active substances:

- essential phospholipids - 300.0 mg
- nicotinamide - 30.0 mg
- vitamin B1 (thiamine mononitrate) - 6.0 mg
- vitamin B2 (riboflavin) - 6.0 mg
- vitamin B6 (pyridoxine hydrochloride) - 6.0 mg
- vitamin B12 (cyanocobalamin) - 0.006 mg
- vitamin E (alpha-tocopheryl acetate) - 6.0 mg

excipients


INDICATIONS:

- Essel forte E is a herbal drug preparation used for treatment of hepatic disorders. It is administered in patients with various alimentary-toxic hepatic injuries listed below,
- fatty liver (including in diabetes)
- hepatitises of any nature, both acute and chronic
- cirrhosis
- toxic hepatic injuries

PACKAGE:

- 10 capsules in a blister; a jar or 3 blisters together with the leaflet in a cardboard box.

EKZON



Dolaren

MEDICINAL PRODUCT
Available over-the-counter
Shelf-life: 4 years



MODE OF ADMINISTRATION:

It is administered orally (a tablet should be swallowed but not chewed) preferably during or after meals.


- Adults: Orally 1 tablet twice daily
- It is contraindicated for children

INDICATIONS:

Acute treatment of acute, mild to moderate pain:
Headache (including migraine and headache of tension), toothache, muscle pain and rheumatic pain in neuralgia, back pain, dysmenorrhea, pharyngotonsillitis
in post-traumatic and post-surgical pain syndrome

PACKAGE:

12 tablets in a blister made of PVC film and aluminium foil. Two blisters together with the leaflet are packed in a cardboard box.



EKZON



Recovered carbon UBF

MEDICINAL PRODUCT AND DIETARY SUPPLEMENT

Available over-the-counter
Shelf-life: 2 years



MODE OF ADMINISTRATION:

- It is administered orally in tablets or in the form of aqueous suspension after grinding a tablet (mix appropriate amount of the medicinal product with $\frac{1}{2}$ glass of water), 1-2 hours before or after meals or other medicinal products.

INDICATIONS:

- as part of combination treatment of food toxicoinfections
- acute exposure to household, industrial or food poisons, alkaloids, medicinal products, salts of heavy metals
- dyspepsia, meteorism
- reduction of aerogenesis before ultrasound scanning and X-ray examination

PACKAGE:

- 5 or 3 blisters together with the leaflet in a secondary package (a cardboard box).

EKZON



Salbutamol

MEDICINAL PRODUCT
Available over-the-counter
Shelf-life: 3 years

INGREDIENTS:

- Salbutamol 100 µg;
- excipients:
 - oleic acid
 - anhydrous ethanol
 - 1,1,1,2-tetrafluoroethane.

INDICATIONS:



- Short-term (4 to 6 hours) bronchodilation with rapid onset (in about 5 minutes) in airways obstruction.
- Rapid relief of asphyxia attacks in conditions with airways obstruction, such as bronchial asthma.
- Prevention of allergen- or exercise-induced bronchospasms.
- As part of combination therapy in patients with bronchial asthma.

PACKAGE:

- Aluminium bottle containing 200 or 400 doses, each dose contains 100 µg of Salbutamol, in a cardboard box.



EKZON



Seleflu

MEDICINAL PRODUCT
Available on prescription.
Shelf-life: 3 years

INGREDIENTS:

- 1 dose contains 50 or 125 or 250 µg of fluticasone propionate;
- excipients: 1,1,1,2-tetrafluoroethane (freon free).

INDICATIONS:

- Preventive treatment of bronchial asthma

PACKAGE:

- 120 doses in an aluminium bottle equipped with a plastic dispenser and a protective cap.

EKZON

EKZON



202 Lenina St., Drogichin, Brest Oblast, Republic of Belarus



bm@ekzon.by



www.ekzon.by



+37516 44 2-00-02, 2-00-03